SOLUTION BRIEF

Intel® Optane™ SSD DC P4800X Series Enterprise Data Center, High-Performance Computing



University of Pisa Uses Intel® Optane[™] SSDs to Significantly Reduce MRI Scanning Times

Memory mapping techniques use Intel[®] Optane[™] technology as an extension of physical memory to accelerate performance at a lower cost than with pure in-memory systems.





Executive Summary

A study performed by the University of Pisa with the IMAGO7 Foundation determined that Intel® Optane™ technology can be used to significantly reduce magnetic resonance imaging (MRI) scanning times, while increasing the accuracy of those scans. The university used a technique—called MRI fingerprinting—that is computationally demanding. Because of the high demands on the processor, researchers quickly determined that traditional NAND-based hard disk drives (HDDs) or even solid state drives (SSDs) were not up to the task, because of their inherently high latencies. All in-memory servers or clusters could be used instead of standard drives, but this option would be prohibitive due to the high costs of DRAM. As an alternative, University of Pisa researchers looked to the Intel® Optane[™] SSD DC P4800X Series as a more affordable low-latency option for MRI fingerprinting.

Testing performed in the University of Pisa study, in conjunction with engineers from Intel and the Dell EMC HPC Innovation Lab*, showed that the Intel® Optane™ SSD DC P4800X Series could be used effectively for memory mapping techniques used in MRI fingerprinting. Because Intel® Optane™ technology provides exceptional performance with predictable, low latencies, the Intel® Optane™ SSD DC P4800X Series provides a viable alternative to costly DRAM or lowerperformance SSDs. Initial testing indicates that Intel® Optane™ technology can be used to reduce MRI scanning times from 40 minutes to two minutes, and postexam data processing times can be reduced from days to hours.¹ The results show that MRI fingerprinting can be used in conjunction with memory mapping and Intel® Optane™ technology to reduce uncomfortable MRI exam times for patients and to efficiently increase the accuracy of scans for doctors and technicians.

New MRI Scanning Techniques Save Time but Require Massive Amounts of Memory

MRI scans are critical tools for examining patients. MRI scanning, however, is not an exact science; results are often couched in probabilities, based on how trained experts interpret the scans. One method for increasing the accuracy of MRI scans is to take longer, more detailed scans; but that solution is less than ideal—especially for children—because patients are frequently uncomfortable, anxious, or claustrophobic inside the large, noisy machines. Patients also need to remain absolutely still during the procedure, which can be increasingly difficult for children as scanning time increases. A group at the University of Pisa that has been conducting research on degenerative brain diseases decided to investigate a different approach to MRI scanning. To reduce scan times and increase the quality of results, the team employed a technique known as MRI fingerprinting, which is based on acquiring under-sampled data from an MRI machine. MRI fingerprinting uses sophisticated computational analysis to ingest data from less time- and data-intensive scans, and to then fill in gaps from tables containing pre-computed data.²

Initial testing found the new approach to be effective but computationally intensive. MRI fingerprinting requires a large amount of memory for storing the pre-computed tables; as a result, the researchers determined that the technique was not feasible on the university's memory-constrained computers. However, simply adding large amounts of DRAM would not be a viable option due to cost.

Reading and writing from traditional spinning HDDs was also not an acceptable alternative because the hard drives showed excessively high latencies, leading to unacceptably long run times. Serial ATA (SATA) and NVM Express* (NVMe*) SSDs reduced latency considerably compared to HDDs, but they still could not keep up with the heavy computational analysis required for MRI fingerprinting. The researchers needed an alternative approach that would provide consistent, low-latency performance, without incurring the high costs of DRAM. Only Intel® Optane™ technology could provide all those benefits, so the university decided to put the Intel® Optane™ SSD DC P4800X Series to the test.



Replacing Costly DRAM with Intel[®] Optane[™] SSD DC P4800X Series Drives

The University of Pisa collaborated with the IMAGO7 Foundation and engineers from Intel and the Dell EMC HPC Innovation Lab on a test project designed to replace high-latency HDDs and traditional SSDs with the Intel® Optane[™] SSD DC P4800X Series. The Intel® Optane[™] SSDs



were selected because they feature an entirely new storage technology that creates a bridge between DRAM and storage to deliver exceptional performance for applications. Unlike traditional NAND SSDs, Intel[®] Optane[™] SSD DC P4800X Series drives are able to provide high performance with consistent, low latency, even under load.

For the test project, the engineers used the Intel® Optane™ SSD DC P4800X Series to extend the environment's physical memory by using an established memory-mapping programming technique that allows a program to access a file as if it were in memory.

Putting Intel[®] Optane[™] Technology to the Test

To see how much benefit the Intel® Optane™ SSD DC P4800X Series could provide, the engineers performed several preliminary tests at the University of Pisa.

Tests were performed on a Dell EMC PowerEdge* server, powered by two Intel® Xeon® processors E5-2680 v4, with 16 GB RAM, a 1.6 TB Intel® SSD DC P3700 Series drive, and a 375 GB Intel® Optane™ SSD DC P4800X Series drive. The researchers ran benchmark tests comparing multi-thread read/write times, while employing memory mapping to access a 12 GB file in 4 KB blocks, and then in 4 MB blocks.

For the 4 KB block-size test, the Intel® Optane™ SSD DC P4800X Series drive performed only 23 percent slower than using all DRAM. And when block size was increased to a more challenging 4 MB, the Intel® Optane™ SSD DC P4800X Series drive performed only 35 percent slower than using DRAM, whereas the Intel SSD DC P3700 Series drive performed 68 percent slower than using DRAM.¹

Intel[®] Optane[™] SSDs for the Data Center

The Intel® Optane[™] SSD DC P4800X Series helps eliminate data center storage bottlenecks and allows for bigger, more affordable data sets. Intel® Optane[™] SSDs for the data center can accelerate applications, reduce transaction costs for latency-sensitive workloads, and improve the overall total cost of ownership (TCO).

Table 1. The high performance and low latency of the Intel[®] Optane[™] SSD DC P4800X Series make it an ideal option for memory mapping as an alternative to costly DRAM¹

	4 MB Block Size: Intel® Optane™ SSD DC P4800X Series	4 MB Block Size: Intel [®] SSD DC P3700 Series
27.39 seconds	42.10 seconds (35 percent slower than DRAM)	85.18 seconds (68 percent slower than DRAM)

The test results showed the viability of using Intel® Optane™ SSD DC P4800X Series drives as a replacement for costly DRAM when using memory mapping techniques. The overall performance was significantly faster than with traditional NAND drives, which typically exhibit much higher latencies for random read/write operations. And although the Intel® Optane™ SSD DC P4800X Series drive's processing times were higher than the test runs with pure DRAM, the performance numbers demonstrated that Intel® Optane™ SSDs could enable MRI fingerprinting at impressive speeds.

The tests conducted at the University of Pisa were promising but only preliminary. Other factors, such as drive size, the number of cores, and the number of nodes, could improve the memory mapping performance of Intel[®] Optane[™] SSD DC P4800X Series drives even further.

Intel[®] Optane[™] SSDs Offer New Possibilities for Fast, Affordable HPC

The testing shows the enormous potential for the Intel® Optane[™] SSD DC P4800X Series to allow MRI fingerprinting as a way for healthcare providers to significantly reduce the time patients spend in MRI machines. The solution can reduce data processing times from days to hours, and it is much more affordable than massively expanding DRAM.¹ Memory mapping with Intel® Optane[™] SSDs also opens the door to other innovative solutions that have not previously been feasible because of the slow performance and high latencies of traditional drives and the prohibitive costs of implementing pure in-memory solutions.

As the University of Pisa testing showed, Intel® Optane™ SSDs can be used in innovative ways by spanning the gap between fast but expensive DRAM and higher-latency, traditional NAND-based SSDs. The Dell EMC HPC Innovation Lab is testing several other scenarios that highlight the benefits of Intel® Optane™ technology for high-performance computing (HPC) use cases. For example, genome assembly

The Dell EMC HPC Innovation Lab*

The Dell EMC HPC Innovation lab, based in a 13,000 square-foot data center in Austin, Texas, houses thousands of servers, a TOP500* cluster, and sophisticated storage and networking systems for HPC. Dell EMC works with customers and partners to configure, test, and tune systems to create optimized solutions for specific industries and workloads.

The lab also gives customers access to cutting-edge technology, like the latest-generation Dell EMC products or the Intel® Scalable System Framework, to test and configure a custom HPC solution to meet their needs.

Dell EMC HPC solutions are all offered with services and support to help customers optimize their design cycles and get products to market faster.

is a memory-hungry process that typically requires costly systems outfitted with massive amounts of DRAM. Lifescience organizations can replace much of that DRAM with Intel® Optane™ SSDs to run genome assembly codes on more affordable servers.

The same approach can be extended to many other industries and use cases, including complex fluid-mechanics calculations, manufacturing and design of automobiles or aircraft engines, and targeted therapies for patients in healthcare. The opportunities are nearly endless. Regardless of industry, research facility, healthcare facility, or educational institution, the Intel® Optane™ SSD P4800X Series offers organizations a fast, affordable option for bridging the gap between expensive DRAM and higherlatency NAND-based drives.

Learn More

To learn more about the MRI testing performed by the University of Pisa, visit: itc.unipi.it/index.php/2017/10/25/using-memory-mapping-to-program-intel-optane-ssd-drives/

To read about the mission of the IMAGO7 Foundation, visit: imago7.eu/ENGmissione.html

To see more examples of how Dell EMC and Intel are driving HPC, visit the Dell EMC HPC Innovation Lab web site: dell.com/en-us/work/learn/dell-emc-hpc-innovation-lab

For more information about the benefits of the Intel® Optane™ SSD DC P4800X Series, visit: intel.com/datacenterssd

Solution Brief | University of Pisa Uses Intel® Optane™ SSDs to Significantly Reduce MRI Scanning Times



¹ Based on internal testing at the University of Pisa in 2017. Source: University of Pisa IT Center. "Using memory mapping to program Intel® Optane" SSD drives." October 2017. itc.unipl.it/index.php/2017/10/25/using-memory-mapping-to-program-intel-optane-ssd-drives/.

² National Center for Biotechnology Information. "Magnetic Resonance Fingerprinting – a promising new approach to obtain standardized imaging biomarkers from MRI." March 2015. ncbi.nlm.nih.gov/pmc/articles/PMC4376817/.

Tests document performance of components on a particular test, in specific systems. Differences in hardware, software, or configuration will affect actual performance. Consult other sources of information to evaluate performance as you consider your purchase.

Cost reduction scenarios described are intended as examples of how a given Intel-based product, in the specified circumstances and configurations, may affect future costs and provide cost savings. Circumstances will vary. Intel does not guarantee any costs or cost reduction.

Intel does not control or audit third-party benchmark data or the web sites referenced in this document. You should visit the referenced web site and confirm whether referenced data are accurate.

Intel technologies' features and benefits depend on system configuration and may require enabled hardware, software or service activation. Performance varies depending on system configuration. No computer system can be absolutely secure. Check with your system manufacturer or retailer or learn more at intel.com.

Intel disclaims all express and implied warranties, including without limitation, the implied warranties of merchantability, fitness for a particular purpose, and non-infringement, as well as any warranty arising from course of performance, course of dealing, or usage in trade.

Intel, the Intel logo, Intel Optane, and Xeon are trademarks of Intel Corporation in the U.S. and/or other countries.

*Other names and brands may be claimed as the property of others.

© 2017 Intel Corporation.

Printed in USA